

















Creativity & Passion

We are, first and foremost, passionate designers and manufacturers dedicated to creating thoughtfully designed and perfectly suited furniture for educational environments. We have a keen obsession with the details that make a difference, elevating our products to a whole new level.

Our satisfaction comes from seeing a student comfortably seated, ready to engage in a lesson, or a teacher looking at their classroom layout with pride.

For over 20 years, we have designed and developed hundreds of products, making us, without a doubt, the most experienced designers of rotationally molded products in Canada.

We are committed to continuously improving our products and processes, always with respect for the environment and a focus on sustainable development.

www.twistproduction.com

















2 ABOUT

4 FURNITURE

- 4 BISTRO ROCKING CHAIR
- 5 RITMIC
- 6 CURVA
- 7 BISTRO LOUNGE CHAIR
- BISTRO CHAIR
- BISTRO STOOL
- 10 SOLIS LOW LOUNGE CHAIR
- 11 JUNO
- 12 LUDIC
- 13 SKOAR
- 14 BISTRO SIDE TABLE
- 15 DIABOLO
- 16 TAM
- 17 CILO
- 8 CORA
- 19 BLOK
- 20 ECLIPSE

21 PLANTERS

- 21 TERA
- 22 HAUS
- 22 FOLIA
- 24 FYOR

OF OTHER

- 25 REPLACEMENT PARTS
- 26 ANCHORS
- 26 SPECIFICATIONS & WARRANTY
- 27 CONTACT

Hello greens!

All the plastic materials that we use are completely recyclable. Black coloured products are made of 100% recycled resin. Furthermore, our manufacturing process, rotational molding, does not produce any plastic waste or residues.

Follow the logo





BISTRO ROCKING CHAIR



Material: LLDPE, Linear low-density polyethylene

Material thickness (cm): 0.45 Dimension (cm): 66 x 69 x H74

Weight (kg): 10

UV Protection: 20 years

Meets UL94HB flammability standard

<u>Product number:</u>

BI.500 (Standard)

Colors





Premium Quality



Easy Maintenance




Indoor &



100% Recyclable







RITMIC **ROCKING CHAIR MINI**



Material: LLDPE, Linear low-density polyethylene

Material thickness (cm): 0.45 Dimension (cm): 48 x 53 x H53

Weight (kg): 5 UV Protection: 20 ans

Meets UL94HB flammability standard

<u>Product number:</u>

BI.600 (Standard)

Colors















Premium Quality

Shock-Resistant

Maintenance


Indoor & Outdoor

100% Recyclable





CONFIGURATION IDEAS



CURVA MODULAR SOFA



Material: LLDPE, Linear low-density polyethylene

Material thickness (cm): 0.45 Dimension (cm): 81 x 81 x H76

Seat height (cm): 38 Weight (kg): 14

UV Protection: 20 years

Meets UL94HB flammability standard

<u>Product number:</u>

SE.000 (Module A)

SE.100 (Module B)

SE.200 (Module C)

SE.300 (Module D)

SE.400 (Module E)

SE.500 (Module F)

SE.0P0 (Module A, with weight, +3 kg)

SE.1P0 (Module B, with weight, +3 kg)

SE.2P0 (Module C, with weight, +3 kg)

SE.3P0 (Module D, with weight, +3 kg)

SE.4P0 (Module E, with weight, +3 kg)

SE.5P0 (Module F, with weight, +3 kg)

Colors

.13 Snow white

100% Recycled
.42 Black
.47 Anthracite
.50 Sandstone
.51 Granite
.36 Red
.85 Orange
.66 Yellow
.72 Apple green
.28 Turquoise
.79 Fuchsia
.82 Ocean blue
.92 Blue electric
.97 Cobalt















Premium Quality

Shock-Resistant

Easy Maintenance

100% Recyclable



BISTRO LOUNGE CHAIR



Material: LLDPE, Linear low-density polyethylene

Material thickness (cm): 0.45 Dimension (cm): 76 x 76 x H81

Seat height (cm): 41 Weight (kg): 12 UV Protection: 20 years

Meets UL94HB flammability standard

<u>Product number:</u>

BI.300 (Standard)

BI.3P0 (with weight, +3 kg)

Options

ANCHOR (Type M)

Colors





Premium Quality

Shock-

Resistant





Maintenance



Outdoor











BISTRO CHAIR



Material: LLDPE, Linear low-density polyethylene

Material thickness (cm): 0.45 Dimension (cm): 61 x 56 x H71

Seat height (cm): 43 Weight (kg): 7

UV Protection: 20 years

Meets UL94HB flammability standard

<u>Product number:</u>


BI.100 (Standard)

BI.1P0 (with weight, +3 kg)

Options

ANCHOR (Type K)

Colors





Premium Quality



Resistant

Easy

Maintenance















BISTRO STOOL



Material: LLDPE, Linear low-density polyethylene

Material thickness (cm): 0.45 Dimension (cm): 61 x 56 x H102

Seat height (cm): 71 Weight (kg): 9

UV Protection: 20 years

Meets UL94HB flammability standard

<u>Product number:</u>


BI.200 (Standard)

BI.2P0 (with weight, +3 kg)

Options

ANCHOR (Type K)

Colors















Shock-Resistant

Easy Maintenance





SOLIS LOW LOUNGE CHAIR



Material: LLDPE, Linear low-density polyethylene

Material thickness (cm): 0.45 Dimension (cm): 58 x 86 x H84

Seat height (cm): 15 Weight (kg): 12 UV Protection: 20 years

Meets UL94HB flammability standard

<u>Product number:</u>

SO.200 (Standard)

Colors





Shock-Resistant



Easy Maintenance



Indoor &





100% Recyclable



Coming product 2025-2026

Available for pre-order now





JUNO MULTIFUNCTION STOOL



Material: LLDPE, Linear low-density polyethylene

Material thickness (cm): 0.45 Dimension (cm): 38 x 38 x H38

Seat height (cm): 25 Weight (kg): 4 UV Protection: 20 ans

Meets UL94HB flammability standard

3 in 1 Chair + Stool + Rocking

<u>Product number:</u>

JU.000 (Standard)

Colors

.13 Snow white
100%Recycled .42 Black
.47 Anthracite
.50 Sandstone
.51 Granite
.36 Red
.85 Orange
.66 Yellow
.72 Apple green
.28 Turquoise
.79 Fuchsia
.82 Ocean blue
.92 Blue electric
.97 Cobalt



Premium Quality



Easy t Maintenance



Outdoor

Indoor &







LUDIC STACKABLE STOOL

Material: LLDPE, Linear low-density polyethylene

Material thickness (cm): 0.45 Dimension (cm): Ø41 x H38

Weight (kg): 3

UV Protection: 20 years

Meets UL94HB flammability standard

<u>Product number:</u>

LD.000 (Standard)

Colors
















Premium Quality


Shock-Resistant

Maintenance

Indoor & Outdoor

100% Recyclable





SKOAR SIDE TABLE

Material: LLDPE, Linear low-density polyethylene

Material thickness (cm): 0.45 Dimension (cm): 36 x 36 x H36

Weight (kg): 3

UV Protection: 20 years

Meets UL94HB flammability standard

<u>Product number:</u>

SK.000 (Standard)

SK.0P0 (with weight, +3 kg)

Options

ANCHOR (Type K)

Colors















Premium Quality

Shock-Resistant

Maintenance

Indoor & Outdoor

100% Recyclable





BISTRO SIDE TABLE

Material: LLDPE, Linear low-density polyethylene

Material thickness (cm): 0.45 Dimension (cm): Ø41 x H46

Weight (kg): 4

UV Protection: 20 years

Meets UL94HB flammability standard

<u>Product number:</u>

BI.000 (Standard)

BI.0P0 (with weight, +3 kg)

Options

ANCHOR (Type K)

Colors

















Premium Quality

Shock-Resistant

Maintenance

Outdoor





DIABOLO SIDE TABLE

Material: LLDPE, Linear low-density polyethylene

Material thickness (cm): 0.45 Dimension (cm): Ø36 x H46

Weight (kg): 3

UV Protection: 20 years

Meets UL94HB flammability standard

<u>Product number:</u>

DI.000 (Standard)

DI.0P0 (with weight, +3 kg)

Options

ANCHOR (Type K)

Colors





Premium Quality



Resistant Maintenance




Indoor &

Outdoor









TAM SIDE TABLE

Material: LLDPE, Linear low-density polyethylene

Material thickness (cm): 0.45 Dimension (cm): Ø36 x H46

Weight (kg): 3

UV Protection: 20 years

Meets UL94HB flammability standard

<u>Product number:</u>

TA.000 (Standard)

TA.0P0 (with weight, +3 kg)

Options

ANCHOR (Type K)

Colors





Premium Quality Shock-

Resistant



Easy Maintenance



Outdoor














CILO SIDE TABLE

Material: LLDPE, Linear low-density polyethylene

Material thickness (cm): 0.45 Dimension (cm): Ø33 x H46

Weight (kg): 3

UV Protection: 20 years

Meets UL94HB flammability standard

<u>Product number:</u>

CI.000 (Standard)

CI.0P0 (with weight, +3 kg)

Options

ANCHOR (Type K)

Colors















Premium Quality

Shock-Resistant

Easy Maintenance

Outdoor

FURNITURE





CORA WITH OR WITHOUT LIGHT

Material: LLDPE, Linear low-density polyethylene

Material thickness (cm): 0.45 Dimension (cm): 48 x 43 x H41

Weight (kg): 5

Light: CFL lamp, 120V-13W, Cool white

UV Protection: 20 years

Meets UL94HB flammability standard

Product number

CR.005 (Standard)

CR.0P5 (with weight, +3 kg)

CR.000 (Illuminated)







.36 Rouge



Premium Quality



Shock- Easy Resistant Maintenance





Indoor &











BLOK WITH OR WITHOUT LIGHT

Material: LLDPE, Linear low-density polyethylene

Material thickness (cm): 0.45 Dimension (cm): 46 x 46 x H46

Weight (kg): 6

Light: CFL lamp, 120V-13W, Cool white

UV Protection: 20 years

Meets UL94HB flammability standard

Product number

BL.005 (Standard)

BL.0P5 (with weight, +3 kg)

BL.000 (Illuminated)

Options

ANCHOR (Type O)

Colors

















Shock-Resistant

Maintenance

Recyclable





ECLIPSE

WITH OR WITHOUT LIGHT

Material: LLDPE, Linear low-density polyethylene

Material thickness (cm): 0.45 Dimension (cm): 122 x 43 x H43

Weight (kg): 12

Light: CFL lamp, 120V-13W, Cool white

UV Protection: 20 years

Meets UL94HB flammability standard

Product number

EC.005 (Standard) EC.0P5 (with weight, +3 kg) EC.000 (Illuminated)

Colors





Quality













Resistant Maintenance

Indoor & Outdoor





TERA

WITH OR WITHOUT LIGHT

Material: LLDPE, Linear low-density polyethylene

Material thickness (cm): 0.45

Light: CFL lamp, 120V-13W, Cool white

UV Protection: 20 years

Meets UL94HB flammability standard

SMALL Ø56 cm x H51 cm Weight (kg): 6 Capacity (L): 23/43 **MEDIUM** Ø66 cm x H61 cm Weight (kg):8 Capacity (L): 30/69 LARGE Ø51 cm x H84 cm Weight (kg): 8 kg Capacity (L): 45/67

X-LARGE Ø102 cm x H102 cm Weight (kg): 22

Capacity (L): 185/292

Product number

TE.000 (Standard, Small)

TE.100 (Standard, Medium)

TE.200 (Standard, Large)

TE.300 (Standard, X-Large)

PH.000 (Illuminated, Small)

PH.100 (Illuminated, Medium)

PH.200 (Illuminated, Large)

PH.300 (Illuminated, X-large)

Options

ANCHOR (Type A)

ANCHOR (Type J) (TE.300)

Colors





Premium

Quality



Resistant



Maintenance











HAUS WITH OR WITHOUT LIGHT

Material: LLDPE, Linear low-density polyethylene

Material thickness (cm): 0.45 UV Protection: 20 years

Meets UL94HB flammability standard

SMALL LARGE

33 cm x 33 cm x H43 cm 38 cm x 38 cm x H81 cm

Weight (kg): 4 Weight (kg): 6 Capacity (L): 16 Capacity (L): 23

Product number

HA.050 (Standard, Small) **HA.250** (Standard, Large)

HA.000 (Illuminated, Small) HA.200 (Illuminated, Large)

Options

ANCHOR (Type A)

Colors





Premium Quality



Resistant


Easy



Indoor & Outdoor Maintenance







FOLIA WITH OR WITHOUT LIGHT

Material: LLDPE, Linear low-density polyethylene

Material thickness (cm): 0.45 Dimension (cm): Ø51 x H76

Weight (kg): 6 Capacity (L): 30 UV Protection: 20 years

Meets UL94HB flammability standard

Product number

FO.050 (Standard) FO.000 (Illuminated)

Options

ANCHOR (Type H)

Colors





Shock-





Maintenance










Premium Quality

Resistant

Indoor & Outdoor



FYOR PLANTER

Material: LLDPE, Linear low-density polyethylene

Material thickness (cm): 0.45 UV Protection: 20 years

Meets UL94HB flammability standard

SMALL LARGE

48 cm x 48 cm x H48 cm 58 cm x 30 cm x H89 cm

Weight (kg): 4 Weight (kg): 7 Capacity (L): 110 Capacity (L): 160

Product number

FY.000 (Small) **FY.100** (Large)

Colors





Premium Quality



Resistant















REPLACEMENT PARTS

In line with our goal to make sustainable products, we offer replacement parts in case a failure or breakage was to occur.



SELF-BALLASTED LIGHT KIT	99.000.01
SELF-BALLASTED BULB, 13W, 120V	99.000.03
LIGHT PROTECTOR	99.000.05
SOCKET WITH CORD	99.000.06
LIGHT KIT FOR CORA & FOLIA	99.000.21
ADDITIONNAL WEIGHT (1.5 kg)	99.000.39
FIXING KIT FOR CURVA	99.000.50

ANCHOR

Most Twist products have an optional ground fastening system.

This system will protect your products from the wind, overthrow risks or unwanted movements. It will also help prevent theft and vandalism.



99.000.46

Find the right anchor for your product

99.000.67

BI.300

ТҮРЕ А	ТҮРЕ Н	TYPE J	ТҮРЕ К
AN.000.75 For use with the following products PH.000, PH.100, PH.200, TE.000*, TE.100*, TE.200* HA.000, HA.200, HA.050*, HA.250*	99.000.34 For use with the following products FO.000 FO.050	99.000.41 For use with the following products PH.300 TE.300	99.000.45 For use with the following products BI.000, BI.100, BI.200, BI.400, CI.000, DI.000, SK.000, TA.000.
TYPE L	ТҮРЕ М	TYPE O	

99.000.93

BL.000

^{*} For the unilluminated planters, anchor must be specified with the order

SPECIFICATIONS

Units of measurement are according to the International System of Units (SI).

The product dimensions are indicative and may differ from actual product sizes.

Colors are an approximation of the actual colours of the product.

The color of a lighted product will appear lighter when it is turned on.

Extreme temperature changes (example: a cold night followed by a warm sunny day) may cause air inside the product to expand, causing short-term changes to its shape.

Due to the nature of the rotational moulding process, flat surfaces on ODEM products may feature slight undulations which do not detract from the product's strength or durability.

WARRANTY

Twist is very proud of the quality of its products. Each component is inspected at every manufacturing step. To confirm Twist's total confidence in its products, the company guarantees the first purchaser the rotational casting components for a 5-year period and the other components for a 1-year period against any defect in material or manufacturing. For commercial use, the warranty is 1 year.

The only Twist liability and the only recourse of the purchaser under this guarantee will be the obligation to replace or repair defective components as long as the said defects are not attributable to improper usage or a usage that does not comply with the directives stated in the maintenance manual.

To fully benefit from the service offered in the warranty, you may contact your retailer or Twist. A written permission from Twist is mandatory before returning a defective product for inspection.

Any product found defective within the delays stated in the warranty will be repaired or replaced FOB Quebec City if it is sent to the plant with freight costs paid in advance. Twist reserves the right to credit or replace the product or component with new or upgraded parts.

Under no circumstance would Twist accept any responsibility for indirect or fortuitous damages in relation thereto the sale and usage of its products. This denial will remain valid throughout the warranty and after it expires.

The warranty provisions are in addition to the legal warranties and other rights and remedies pursuant to any legislation, without modifying them or excluding any part whatsoever.

Twist

A collection of ODEM Solutions inc.

