

**Creativity & Passion** 

**VOLUME 17** 

















#### **Creativity & Passion**

We are first and foremost passionate creators. Four entrepreneurs who are committed to research and development to offer well thought-out and perfectly adapted to their intended use. We are somewhat obsessed with details that make a difference and bring the product to another level.

Our satisfaction comes from seeing the smile of a client that confirms the comfort of a chair or from another coming up to us to say that their outdoor light still provides them with enjoyment after ten years.

For over 20 years, we have designed and developed hundreds of products, which make us, without any pretension, the most experienced designers of rotationally molded products in Canada.

We are committed to always improving our products and our ways and to do it while respecting the environment and with sustainable development in mind.

www.twistproduction.com

2	ABOUT	29	CORA
		30	CORA LUX
4	FURNITURE	31	BLOK
4	SOLIS LOUNGE CHAIR low	32	BLOK LUX
5	SOLIS LOUNGE CHAIR high	33	ECLIPSE
6	SOLIS BEACH CHAIR	34	ECLIPSE LUX
7	SIESTA	35	LUDIC
8	KURVE	36	RITMIC
9	KURVE WITH RISER	37	JUNO
10	COMPA LOUNGE CHAIR IOW		
11	COMPA LOUNGE CHAIR high	38	PLANTERS & GARDEN
12	COMPA BEACH CHAIR	38	TERA
13	BISTRO ROCKING CHAIR	39	TERA LUX
14	BISTRO ARMCHAIR	40	HAUS
15	BISTRO CHAIR	41	HAUS LUX
16	BISTRO BAR STOOL	42	FOLIA
17	PLAYA	43	FOLIA LUX
18	COZI	44	VASK
19	ОТТО	45	FYOR
20	CURVA	46	URBA
21	NOHO	47	BLOOM
22	SKOAR	48	HORTA
23	STAN	49	TRIO
24	BISTRO STOOL & SIDE TABLE full		
25	BISTRO STOOL & SIDE TABLE holed	50	MOOD LIGHTS
26	DIABOLO	50	MIA SERATA LUX
27	TAM	51	MOON LUX
00	כוו ס	<b>5</b> 0	MOON LILY BENDANT LIGHT

<b>53</b> 53 54 55	GARDEN ACCESSORIES TWEET CASA HOUSE CASA TRIANGLE
<b>56</b> 56 57 58 59	CHRISTMAS SANTA SANTA LUX LUMI LUX STELLA LUX
<b>60</b> 60 61 62 63	OTHER REPLACEMENT PARTS ANCHORS SPECIFICATIONS & WARRANTY CONTACT



### Hello greens!

All the plastic materials that we use are completely recyclable. Black coloured products are made of 100% recycled resin. Furthermore, our manufacturing process, rotational molding, does not produce any plastic waste or residues.

Follow the logo





## SOLIS LOW LOUNGE CHAIR

Material: LLDPE, Linear low-density polyethylene

Material thickness (In): 0.178 Dimension (In): 24 x 64 x H29

Weight: 60 lb / 27 kg UV Protection: 20 years

Meets UL94HB flammability standard

This product has been designed to be used in the shallow part of a pool as deep as 9"

#### Part number

**SO.000** 

#### Colors







Quality



Resistant













## SOLIS HIGH LOUNGE CHAIR

Material: LLDPE, Linear low-density polyethylene

Material thickness (In): 0.178 Dimension (In): 24 x 61 x H32

Weight: 80 lb / 36 kg UV Protection: 20 years

Meets UL94HB flammability standard

This product has been designed to be used in the shallow part of a pool as deep as 15"

#### Part number

**SO.100** 

#### Colors







Premium Quality



Resistant
















## SOLIS

#### BEACH CHAIR

Material: LLDPE, Linear low-density polyethylene

Material thickness (In): 0.178 Dimension (In): 23 x 34 x H33

Seat height (In): 6 Weight: 25 lb / 11 kg UV Protection: 20 years

Meets UL94HB flammability standard

This product has been designed to be used in the shallow part of a pool **as deep as 9**"

Part number

**SO.200** 

#### Colors









Resistant









Premium Quality

Easy Maintenance

Outdoor

Qu



## SIESTA

#### LOUNGE CHAIR

Material: LLDPE, Linear low-density polyethylene

Material thickness (In): 0.178 Dimension (In): 30 x 80 x H28

Weight: 88 lb / 40 kg UV Protection: 20 years

Meets UL94HB flammability standard

This product has been designed to be used in the shallow part of a pool as deep as 6" The foot under the SIESTA has been removed since 2023

#### Part number

#### **SI.000**

#### Colors







Quality

Shock-

Resistant















## KURVE LOUNGE CHAIR

Material: LLDPE, Linear low-density polyethylene

Material thickness (In): 0.178 Dimension (In): 28 x 71 x H30

Weight: 62 lb / 28 kg UV Protection: 20 years

Meets UL94HB flammability standard

This product has been designed to be used in the shallow part of a pool as deep as 9"

#### Part number

#### **CU.000**

















Premium Quality

Shock-Resistant

Easy Maintenance

Recyclable



## KURVE LOUNGE CHAIR WITH RISER

Material: LLDPE, Linear low-density polyethylene

Material thickness (In): 0.178 Dimension (In): 28 x 71 x H36

Weight: 71 lb / 32 kg UV Protection: 20 years

Meets UL94HB flammability standard

This product has been designed to be used in the shallow part of a pool as deep as 9" RISER is a booster seat that raises the KURVE lounge chair by 4"

#### Part number

RI.000 (Riser only)

#### Colors







Quality

Shock-

Resistant



Maintenance




Outdoor









## COMPA LOW LOUNGE CHAIR

Material: LLDPE, Linear low-density polyethylene

Material thickness (In): 0.178 Dimension (In): 24 x 64 x H30

Weight: 60 lb / 27 kg UV Protection: 20 years

Meets UL94HB flammability standard

This product has been designed to be used in the shallow part of a pool as deep as 9"

#### Part number

#### **CP.000**







Premium Quality



Easy Resistant Maintenance




Indoor & Outdoor



100% Recyclable





# COMPA HIGH LOUNGE CHAIR

Material: LLDPE, Linear low-density polyethylene

Material thickness (In): 0.178 Dimension (In): 24 x 62 x H33

Weight: 73 lb / 33 kg UV Protection: 20 years

Meets UL94HB flammability standard

This product has been designed to be used in the shallow part of a pool **as deep as 9"** 

#### Part number

#### **CP.100**


















Premium Quality

Shock-Resistant

Easy Indoor & Maintenance Outdoor





## COMPA BEACH CHAIR

Material: LLDPE, Linear low-density polyethylene

Material thickness (In): 0.178 Dimension (In): 24 x 36 x H33

Weight: 29 lb / 13 kg UV Protection: 20 years

Meets UL94HB flammability standard

This product has been designed to be used in the shallow part of a pool as deep as 9"

#### Part number

#### **CP.200**

#### Colors









Resistant













## **BISTRO ROCKING CHAIR**

Material: LLDPE, Linear low-density polyethylene

Material thickness (In): 0.178 Dimension (In): 26 x 27 x H29

Seat height (In): 17 Weight: 24 lb / 11 kg UV Protection: 20 years

Meets UL94HB flammability standard

#### Part number

**BI.500** 

















Resistant Maintenance

Indoor & Outdoor



#### **ARMCHAIR**

Material: LLDPE, Linear low-density polyethylene

Material thickness (In): 0.178 Dimension (In): 30 x 30 x H32

Seat height (In): 16.5 Weight: 27 lb / 12 kg UV Protection: 20 years

Meets UL94HB flammability standard

#### Part number

BI.300 (Standard)

**BI.3P0** (Added weight, +3 kg)

#### **Options**

**ANCHORING SYSTEM** (Type M)

#### Colors







Premium Quality



Resistant

Easy Maintenance



Indoor & Outdoor









#### **DINING CHAIR**

Material: LLDPE, Linear low-density polyethylene

Material thickness (In): 0.178 Dimension (In): 24 x 22 x H28

Seat height (In): 17.5 Weight: 18 lb / 8 kg UV Protection: 20 years

Meets UL94HB flammability standard

#### Part number

BI.100 (Standard)

**BI.1P0** (Added weight, +3 kg)

#### **Options**

**ANCHORING SYSTEM** (Type K)















Shock-Resistant



#### BAR STOOL

Material: LLDPE, Linear low-density polyethylene

Material thickness (In): 0.178 Dimension (In): 24 x 22 x H40

Seat height (In): 28 Footrest height (In): 12 Weight: 22 lb / 10 kg UV Protection: 20 years

Meets UL94HB flammability standard

#### Part number

BI.200 (Standard)

**BI.2P0** (Added weight, +3 kg)

#### **Options**

**ANCHORING SYSTEM** (Type K)

#### Colors


















Shock-Resistant



# PLAYA BEACH CHAIR

Material: LLDPE, Linear low-density polyethylene

Material thickness (In): 0.178 Dimension (In): 26 x 27 x H22

Seat height (In): 10 Weight: 15 lb / 7 kg UV Protection: 20 years

Meets UL94HB flammability standard

This product has been designed to be used in the shallow part of a pool **as deep as 9"** 

#### Part number

PL.000 (Standard)

**PL.0P0** (Added weight, +3 kg)

#### **Options**

**ANCHORING SYSTEM** (Type K)

#### Colors



















Premium Quality

Shock-Resistant

Easy Maintenance

**FURNITURE** 





## COZI ADIRONDACK CHAIR,

Material: LLDPE, Linear low-density polyethylene

Material thickness (In): 0.178 Dimension (In): 26 x 27 x H22

Seat height (In): 10 Weight: 38 lb / 17 kg UV Protection: 20 years

Meets UL94HB flammability standard

#### Part number

CO.000 (Standard)

**CO.0P0** (Added weight, +3 kg)

#### **Options**

**ANCHORING SYSTEM (Cozi)** 

#### Colors













Outdoor





Shock-Resistant



## OTTO OTTOMAN

Material: LLDPE, Linear low-density polyethylene

Material thickness (In): 0.178 Dimension (In): 20 x 19.5 x H11.5

Weight: 9 lb / 4 kg UV Protection: 20 years

Meets UL94HB flammability standard

#### Part number

OT.000 (Standard)

OT.0P0 (Added weight, +3 kg)

#### **Colors**









Maintenance









Premium Quality

Shock-Resistant


Outdoor

Recyclable





#### **CONFIGURATION IDEAS**



## CURVA

#### SECTIONAL SOFA

Material: LLDPE, Linear low-density polyethylene

Material thickness (In): 0.178 Dimension (In): 32 x 32 x H30

Seat height (In): 15 Weight: 31 lb / 14 kg UV Protection: 20 years

Meets UL94HB flammability standard

\*Fasteners to attach modules to each other are included

#### Part number

SE.000 (Module A)

SE.100 (Module B)

SE.200 (Module C)

SE.300 (Module D)

SE.400 (Module E)

**SE.500** (Module F)

#### Colors



**SE.5P0** (Module F, Added weight, +3 kg) .79 Fuchsia **.82** Ocean Blue .92 Electric blue .97 Cobalt **.29** Teal .98 Sage green .18 Sea Salt **.20** Beige

**SE.0P0** (Module A, Added weight, +3 kg)

**SE.1P0** (Module B, Added weight, +3 kg)

**SE.2P0** (Module C, Added weight, +3 kg)

**SE.3P0** (Module D, Added weight, +3 kg)

**SE.4P0** (Module E, Added weight, +3 kg)

.30 Chocolate

.39 Cherry









Outdoor







Premium Quality

Shock-Resistant

Maintenance



## NOHO LOUNGE CHAIR

Material: LLDPE, Linear low-density polyethylene

Material thickness (In): 0.178 Dimension (In): 26 x 28 x H34

Seat height (In): 16 Weight: 22 lb / 10 kg UV Protection: 20 years

Meets UL94HB flammability standard

This product WITH ADDED WEIGHT has been designed to be used in the shallow part

of a pool as deep as 9"

#### Part number

LO.000 (Standard)

LO.0P0 (Added weight, +3 kg)


















Premium Quality


Shock-Resistant

Outdoor Maintenance

100% Recyclable

manufactured in Québec





## SKOAR

#### SIDE TABLE

Material: LLDPE, Linear low-density polyethylene

Material thickness (In): 0.178 Dimension (In): 14 x 14 x H14

Weight: 7 lb / 3 kg UV Protection: 20 years

Meets UL94HB flammability standard

This product WITH ADDED WEIGHT has been designed to be used in the shallow part

of a pool as deep as 9"

Part number

**SK.000** (Standard)

**SK.0P0** (Added weight, +3 kg)

**Options** 

**ANCHORING SYSTEM** (Type K)

#### Colors







Quality



Resistant



Maintenance

Indoor & Outdoor











## STAN SIDE TABLE

Material: LLDPE, Linear low-density polyethylene

Material thickness (In): 0.178 Dimension (In): 20 x 20 x H17

Weight: 11 lb / 5 kg UV Protection: 20 years

Meets UL94HB flammability standard

This product WITH ADDED WEIGHT has been designed to be used in the shallow part

of a pool as deep as 9"

Part number

ST.000 (Standard)

**ST.0P0** (Added weight, +3 kg)

**Options** 

**ANCHORING SYSTEM** (Type K)

#### Colors













Outdoor





Premium Quality

Shock-Resistant

Easy Maintenance

100% Recyclable





#### STOOL & FULL SIDE TABLE

Material: LLDPE, Linear low-density polyethylene

Material thickness (In): 0.178 Dimension (In): Ø16 x H18

Weight: 9 lb / 4 kg UV Protection: 20 years

Meets UL94HB flammability standard

This product WITH ADDED WEIGHT has been designed to be used in the shallow part of a pool as deep as 9"

Part number

BI.000 (Standard)

**Bl.0P0** (Added weight, +3 kg)

**Options** 

**ANCHORING SYSTEM** (Type K)

#### Colors







Quality

Premium Shock-Resistant



Maintenance



Outdoor

100%





#### STOOL & HOLED SIDE TABLE

Material: LLDPE, Linear low-density polyethylene

Material thickness (In): 0.178 Dimension (In): Ø16 x H18

Weight: 9 lb / 4 kg UV Protection: 20 years

Meets UL94HB flammability standard

This product WITH ADDED WEIGHT has been designed to be used in the shallow part of a pool as deep as 9"

Part number

BI.400 (Standard)

**BI.4P0** (Added weight, +3 kg)

**Options** 

**ANCHORING SYSTEM** (Type K)

#### Colors



.79 Fuchsia **.82** Ocean Blue .92 Electric blue .97 Cobalt **.29** Teal .98 Sage green .18 Sea Salt **.20** Beige .30 Chocolate .39 Cherry



Premium Quality



Resistant

Easy Maintenance



100% Outdoor Recyclable







## DIABOLO

#### SIDE TABLE

Material: LLDPE, Linear low-density polyethylene

Material thickness (In): 0.178 Dimension (In): Ø14 x H18 Weight: 6.6 lb / 3 kg UV Protection: 20 years

Meets UL94HB flammability standard

This product WITH ADDED WEIGHT has been designed to be used in the shallow part of a pool **as deep as 9**"

Part number

**DI.000** (Standard)

**DI.0P0** (Added weight, +3 kg)

**Options** 

**ANCHORING SYSTEM** (Type K)

#### Colors







*y* 









Premium Quality

Shock-Resistant

Easy Maintenance





# TAM SIDE TABLE

Material: LLDPE, Linear low-density polyethylene

Material thickness (In): 0.178 Dimension (In): Ø14 x H18 Weight: 6.6 lb / 3 kg UV Protection: 20 years

Meets UL94HB flammability standard

This product WITH ADDED WEIGHT has been designed to be used in the shallow part of a pool **as deep as 9**"

#### Part number

TA.000 (Standard)

TA.0P0 (Added weight, +3 kg)

#### **Options**

**ANCHORING SYSTEM** (Type K)

#### Colors







Premium Quality



Shock-Resistant




Easy <u>Main</u>tenance



Outdoor

100% Recyclable







## CILO SIDE TABLE

Material: LLDPE, Linear low-density polyethylene

Material thickness (In): 0.178 Dimension (In): Ø13.5 x H18

Weight: 8 lb / 3.5 kg UV Protection: 20 years

Meets UL94HB flammability standard

This product WITH ADDED WEIGHT has been designed to be used in the shallow part of a pool **as deep as 9**"

Part number

CI.000 (Standard)

**Cl.0P0** (Added weight, +3 kg)

**Options** 

**ANCHORING SYSTEM** (Type K)

#### Colors







Premium Quality



Resistant

Easy

Maintenance














# CORA STOOL & SIDE TABLE

Material: LLDPE, Linear low-density polyethylene

Material thickness (In): 0.178 Dimension (In): 19 x 17 x H16

Weight: 9 lb / 4 kg UV Protection: 20 years

Meets UL94HB flammability standard

#### Part number

CR.005 (Standard)

CR.0P5 (Added weight, +3 kg)

#### **Options**

**ANCHORING SYSTEM** (Type X)







Shark









Premium Quality

Shock-Resistant

Easy <u>Maintena</u>nce

100% Recyclable





## CORA LUX

#### ILLUMINATED SIDE TABLE

Material: LLDPE, Linear low-density polyethylene

Material thickness (In): 0.178 Dimension (In): 19 x 17 x H16

Weight: 9 lb / 4 kg

Light: Compact fluorescent, 120V-13W, Cool white

UV Protection: 20 years

Meets UL94HB flammability standard

#### Part number

CR.000 (Illuminated)





Premium Quality




Shock-Resistant




Indoor &

Outdoor







## BLOK SIDE TABLE

Material: LLDPE, Linear low-density polyethylene

Material thickness (In): 0.178 Dimension (In): 18 x 18 x H18

Weight: 13 lb/6 kg UV Protection: 20 years

Meets UL94HB flammability standard

#### Part number

**BL.005** (Standard)

BL.0P5 (Added weight, +3 kg)

#### **Options**

**ANCHORING SYSTEM** (Type O)

#### Colors







Premium Quality



Resistant

Easy Maintenance




Indoor & Outdoor



100% Recyclable





## BLOK LUX ILLUMINATED CUBE

Material: LLDPE, Linear low-density polyethylene

Material thickness (In): 0.178 Dimension (In): 18 x 18 x H18

Weight: 13 lb / 6 kg

Light: Compact fluorescent, 120V-13W, Cool white

UV Protection: 20 years

Meets UL94HB flammability standard

#### Part number

**BL.000** (Illuminated)

#### **Colors**





Premium Quality



Resistant


Maintenance



Indoor & Outdoor









## **ECLIPSE**

### BENCH

Material: LLDPE, Linear low-density polyethylene

Material thickness (In): 0.178 Dimension (In): 48 x 35 x H17

Weight: 26 lb / 12 kg UV Protection: 20 years

Meets UL94HB flammability standard

#### Part number

EC.005 (Standard)

EC.0P5 (Added weight, +3 kg)

#### **Options**

**ANCHORING SYSTEM** (Type L)

#### Colors







Quality

Shock-







Outdoor







## ECLIPSE LUX

#### ILLUMINATED BENCH

Material: LLDPE, Linear low-density polyethylene

Material thickness (In): 0.178 Dimension (In): 48 x 35 x H17

Weight: 26 lb / 12 kg

Light: Compact fluorescent, 120V-13W, Cool white

UV Protection: 20 years

Meets UL94HB flammability standard

Part number


**Options** 

EC.000 (Illuminated)

**ANCHORING SYSTEM** (Type L)

#### Colors







Premium Quality



Resistant





Outdoor











## LUDIC STACKABLE STOOL

Material: LLDPE, Linear low-density polyethylene

Material thickness (In): 0.178 Dimension (In): Ø16 x H15 Weight: 6.6 lb / 3 kg UV Protection: 20 years

Meets UL94HB flammability standard

#### Part number

LD.000

#### **Colors**







Quality

Premium Shock-

Resistant















# RITMIC ROCKING CHAIR FOR CHILDREN

Material: LLDPE, Linear low-density polyethylene

Material thickness (In): 0.178 Dimension (In): 19 x 21 x H21

Seat height (In): 10 Weight: 11 lb / 5 kg UV Protection: 20 years

Meets UL94HB flammability standard

#### Part number

**BI.600** 


















Premium Quality

Shock-Resistant

Easy Ir Maintenance C

#### **3 POSITIONS**



# JUNO MULTIFUNCTION STOOL

Material: LLDPE, Linear low-density polyethylene

Material thickness (In): 0.178 Dimension (In): 15 x 15 x H15

Seat height (In): 110 Weight: 11 lb / 5 kg UV Protection: 20 years

Meets UL94HB flammability standard

### Part number

JU.000

### Colors







Premium Quality



Resistant

Easy Maintenance




Indoor & Outdoor



100% Recyclable







# **TERA**

### **PLANTER**

Material: LLDPE, Linear low-density polyethylene

Material thickness (In): 0.178 UV Protection: 20 years

Meets UL94HB flammability standard

**SMALL** Ø22 x H20 In Weight: 11 lb / 5 kg Capacity (L): 23/43

**MEDIUM** Ø26 x H24 In Weight: 13 lb / 6 kg Capacity (L): 30/69

**LARGE** X-LARGE Ø20 x H33 In Ø40 x H40 In Weight: 13 lb / 6 kg Weight: 36 lb / 17 kg Capacity (L): 45/67

Capacity (L): 185/292

### Part number

**TE.000** (Small) TE.100 (Medium) **TE.200** (Large) **TE.300** (X-Large)

### **Options**

**ANCHORING SYSTEM** (Type A) **ANCHORING SYSTEM** (Type J) (TE.300)

#### Colors







Quality



Resistant
















# TERA LUX

### ILLUMINATED PLANTER

Material: LLDPE, Linear low-density polyethylene

Material thickness (In): 0.178

Light: Compact fluorescent, 120V-13W, Cool white

UV Protection: 20 years

Meets UL94HB flammability standard

**SMALL MEDIUM** Ø22 x H20 In Ø26 x H24 In Weight: 11 lb / 5 kg Weight: 13 lb / 6 kg Capacity (L): 23/43 Capacity (L): 30/69

**LARGE** X-LARGE Ø20 x H33 In Ø40 x H40 In Weight: 14 lb / 6.5 kg Weight: 44 lb / 20 kg Capacity (L): 185/292

Capacity (L): 45/67

#### Part number

PH.000 (Illuminated, Small) PH.100 (Illuminated, Medium) PH.200 (Illuminated, Large) PH.300 (Illuminated, X-Large)

### **Options**

**ANCHORING SYSTEM** (Type A) **ANCHORING SYSTEM** (Type J) (TE.300)

### Colors













Outdoor





Premium Quality

Shock-Resistant

Easy Maintenance



# HAUS **PLANTER**

Material: LLDPE, Linear low-density polyethylene

Material thickness (In): 0.178 UV Protection: 20 years

Meets UL94HB flammability standard

LARGE **SMALL** 

13 x 13 x H17 ln 15 x 15 x H32 ln Weight: 7 lb / 3 kg Weight: 14 lb / 6.5 kg Capacity (L): 73 Capacity (L): 27

Part number

**Options** 

**HA.050** (Small)

**ANCHORING SYSTEM** (Type A)

**HA.250** (Large)

### Colors









Outdoor







Premium Quality

Shock-Resistant

Easy Maintenance



# HAUS LUX

### ILLUMINATED PLANTER

Material: LLDPE, Linear low-density polyethylene

Material thickness (In): 0.178

Light: Compact fluorescent, 120V-13W, Cool white

UV Protection: 20 years

Meets UL94HB flammability standard

LARGE **SMALL** 

13 x 13 x H17 ln 15 x 15 x H32 ln Weight: 7 lb / 3 kg Weight: 14 lb / 6.5 kg Capacity (L): 27 Capacity (L): 73

Part number

**Options** 

HA.000 (Illuminated, Small)

HA.200 (Illuminated, Large)

**ANCHORING SYSTEM** (Type A)

















Shock-Resistant





## **FOLIA PLANTER**

Material: LLDPE, Linear low-density polyethylene

Material thickness (In): 0.178 Dimension (In): Ø20 x H30 Weight: 12 lb / 5.5 kg Capacity (L): 30 UV Protection: 20 years

Meets UL94HB flammability standard

Part number

FO.050

**Options** 

**ANCHORING SYSTEM** (Type H)

### Colors







Premium Shock-Quality Resistant





Maintenance





100% Recyclable





## FOLIA LUX ILLUMINATED PLANTER

Material: LLDPE, Linear low-density polyethylene

Material thickness (In): 0.178 Dimension (In): Ø20 x H30 Weight: 12 lb / 5.5 kg Capacity (L): 30

Light: Compact fluorescent, 120V-13W, Cool white

UV Protection: 20 years

Meets UL94HB flammability standard

Part number

**Options** 

**FO.000** (Illuminated)

**ANCHORING SYSTEM** (Type H)

### **Colors**









Resistant

Maintenance



Recyclable









# VASK

### URBAN PLANTER

Material: LLDPE, Linear low-density polyethylene

Material thickness (In): 0.178 UV Protection: 20 years

Meets UL94HB flammability standard

\*Support base made of black HDPE is included

MEDIUM Ø24 x H15 In <u>LARGE</u> Ø36 x H20 In

Weight: 18 lb / 8 kg Capacity (L): 55 Weight: 40 lb / 18 kg Capacity (L): 150

Part number

**VA.100** (Medium) **VA.200** (Large)

### Colors







Quality

n Shock-

Resistant



Maintenance





Outdoor







# FYOR PLANTER

Material: LLDPE, Linear low-density polyethylene

Material thickness (In): 0.178 UV Protection: 20 years

Meets UL94HB flammability standard

<u>SMALL</u>

19 x 19 x H19 ln Weight : 15 lb / 7 kg Capacity (L) : 110 **LARGE** 

23 x 12 x H35 In Weight : 22 lb / 10 kg Capacity (L) : 160 X-LARGE

48 x 14 x H32 In Weight : 53 lb / 24 kg Capacity (L) : 68.5

### Part number

**FY.000** (Small)

**FY.100** (Large)

**FY.200** (X-Large)

### Colors







Quality



Resistant



Maintenance





Outdoor







# **URBA**

### GARDEN BOX

Material: LLDPE, Linear low-density polyethylene

Material thickness (In): 0.178 Dimension (In): 36 x 36 x H12

Weight: 24 lb / 11 kg Capacity (L): 180 UV Protection: 20 years

Meets UL94HB flammability standard

### Part number

**UR.000** 

### **Colors**

(0100% Recycled) .42 Noir



Premium Quality

















# BLOOM URBAN GARDEN PLANTER

Material: LLDPE, Linear low-density polyethylene

Material thickness (In): 0.178 UV Protection: 20 years

Meets UL94HB flammability standard

 WITHOUT LEGS
 TECK LEGS

 30 x 15 x H10 In
 30 x 15 x H27 In

 Weight: 10 lb / 4.5 kg
 Weight: 22 lb / 10 kg

 Capacity (L): 42
 Capacity (L): 42

### Part number

**BM.000** (Without legs) **BM.100** (Teck legs)

### Colors





Quality



Resistant





Outdoor











# HORTA

### URBAN GARDEN PLANTER

Material: LLDPE, Linear low-density polyethylene

Material thickness (In): 0.178 Dimension (In): 30 x 15 x H24

Weight: 15.4 lb / 7 kg Capacity (L): 40 UV Protection: 20 years

Meets UL94HB flammability standard

#### Part number

HO.000

















Premium Quality

Shock-Resistant

Easy Maintenance





# **TRIO**

### WALL PLANTER

Material: LLDPE, Linear low-density polyethylene

Material thickness (In): 0.178 Dimension (In): 30 x 8 x H33 Weight: 14 lb / 6.5 kg

Capacity (L): 70 UV Protection: 20 years

Meets UL94HB flammability standard

### Part number

**TO.000** 

### Colors







Quality

Shock-

Resistant



Maintenance





Outdoor









# MIA SERATA LUX

### ILLUMINATED CONE

Material: LLDPE, Linear low-density polyethylene

Material thickness (In): 0.178

Light: Compact fluorescent, 120V-13W, Cool white

UV Protection: 20 years

Meets UL94HB flammability standard

**SMALL MEDIUM** Ø15 x H36 In Ø24 x H60 In Weight: 18 lb / 8 kg Weight: 9 lb / 4 kg

Part number

**Options** 

MS.000 (Small) MS.100 (Medium) **ANCHORING SYSTEM** (Type A)

Colors





.75 Natural
















Maintenance



## MOON LUX ILLUMINATED SPHERE

Material: LLDPE, Linear low-density polyethylene

Material thickness (In): 0.178

Light: Compact fluorescent, 120V-13W, Cool white

UV Protection: 20 years

Meets UL94HB flammability standard

**SMALL MEDIUM LARGE** Ø16 In Ø36 In Ø24 In

Weight: 5 lb / 2 kg Weight: 22 lb / 10 kg Weight: 9 lb / 4 kg

### Part number

MO.000 (Small) MO.100 (Medium) MO.200 (Large)

### **Options**

**ANCHORING SYSTEM** (Type B ou C)

### **Colors**





Quality







Outdoor









# MOON LUX

### HANGING ILLUMINATED SPHERE

Material: LLDPE, Linear low-density polyethylene

Material thickness (In): 0.178

Light: Compact fluorescent, 120V-13W, Cool white

UV Protection: 20 years

Meets UL94HB flammability standard

**SMALL MEDIUM LARGE** Ø16 In Ø24 In Ø36 In

Weight: 5 lb / 2 kg Weight: 22 lb / 10 kg Weight: 9 lb / 4 kg

### Part number

MO.090 (Small) MO.190 (Medium) MO.290 (Large)















Shock-Resistant

Maintenance

Outdoor Recyclable



# TWEET BIRD FEEDER

Material: LLDPE, Linear low-density polyethylene

Material thickness (In): 0.178 Dimension (In): Ø10 x H14 Weight: 2.2 lb / 1 kg Capacity: 8.8 lb / 4 kg UV Protection: 20 years

Meets UL94HB flammability standard

Part number

TW.000

### **Colors**

.47 Anthracite



Premium Quality



Resistant





Indoor & Outdoor





Maintenance





# CASA HOME DECORATIVE BIRDHOUSE

Material: LLDPE, Linear low-density polyethylene

Material thickness (In): 0.178 Dimension (In): 10 x 10 x H11

Weight: 2.2 lb / 1 kg UV Protection: 20 years

Meets UL94HB flammability standard

### Part number

**CS.000** 

### Colors









Resistant













# CASA

### TRIANGLE DECORATIVE BIRDHOUSE

Material: LLDPE, Linear low-density polyethylene

Material thickness (In): 0.178 Dimension (In): 10 x 9 x H10.5

Weight: 2.2 lb / 1 kg UV Protection: 20 years

Meets UL94HB flammability standard

### Part number

**CS.100** 

### Colors







Quality

Shock-

Resistant













# SANTA

### CHRISTMAS ORNAMENTS

Material: LLDPE, Linear low-density polyethylene

Material thickness (In): 0.178 UV Protection: 20 years

Meets UL94HB flammability standard

 MINI
 SMALL
 MEDIUM
 LARGE

 Ø12 In
 Ø16 In
 Ø24 In
 Ø36 In

Weight: 2.2 lb / 1 kg Weight: 3.3 lb / 1.5 kg Weight: 8 lb / 3.5 kg Weight: 22 lb / 10 kg


### Part number

**SA.350** (Mini)

**SA.050** (Small)

SA.150 (Medium)

**SA.250** (Large)















Premium Quality

Shock-Resistant

Easy Indoor & Maintenance Outdoor

100% Recyclable





# SANTA LUX

### ILLUMINATED CHRISTMAS ORNAMENTS

Material: LLDPE, Linear low-density polyethylene

Material thickness (In): 0.178

Light: Compact fluorescent, 120V-13W, Cool white

UV Protection: 20 years

Meets UL94HB flammability standard

**LARGE** <u>MINI</u> **SMALL MEDIUM** Ø12 In Ø16 In Ø24 In Ø36 In

Weight: 3.3 lb / 1.5 kg Weight: 6.6 lb / 3 kg Weight: 11 lb / 5 kg Weight: 17.6 lb / 8 kg

### Part number


**SA.300** (Mini)

**SA.000** (Small)

SA.100 (Medium)

**SA.200** (Large)

### Colors








Resistant







Maintenance





# LUMI LUX

### ILLUMINATED CHRISTMAS TREE

Material: LLDPE, Linear low-density polyethylene

Material thickness (In): 0.178

Light: Compact fluorescent, 120V-13W, Cool white

UV Protection: 20 years


Meets UL94HB flammability standard

**MEDIUM LARGE** Ø18 x H48 In Ø22 x H60 In Weight: 11 lb / 5 kg Weight: 9 lb / 4 kg

Included Part number

LU.100 (Medium) **ANCHORING SYSTEM** (Type I)

**LU.200** (Large)





Premium Quality



Resistant



Indoor & Outdoor











# STELLA LUX

### CHRISTMAS TREE PLANTER

Material: LLDPE, Linear low-density polyethylene

Material thickness (In): 0.178 Dimension (In): Ø22 x H20 Weight: 13 lb / 6 kg

Capacity (L): 20

Light: Compact fluorescent, 120V-13W, Cool white

UV Protection: 20 years

Meets UL94HB flammability standard

Part number

**Options** 

**NL.000** 

**ANCHORING SYSTEM** (Type A)
















Shock-Resistant

### REPLACEMENT PARTS

In line with our goal to make sustainable products, we offer replacement parts in case a failure or breakage was to occur.





SELF-BALLASTED LIGHT KIT	99.000.01
SELF-BALLASTED BULB 13W 120V	99.000.03
LIGHT PROTECTOR	99.000.05
SOCKET 120V WITH 80" CORD	99.000.06
LIGHT KIT FOR MO.000 & .100, CORA, FOLIA, LUMI	99.000.21
LIGHT KIT FOR SUSPENDED MO.090	99.000.22
LIGHT KIT FOR SUSPENDED MO.190	99.000.23
LIGHT KIT FOR SUSPENDED MO.290	99.000.24
ADAPTER ARTIFICIAL TREE FOR STELLA	99.000.26
HARDWARE KIT FOR STELLA	99.000.37
KIT COMPONENTS BLOOM	99.000.38
ADDED WEIGHT (1.5 kg)	99.000.39
FIXING KIT FOR CURVA	99.000.50

### **ANCHORS**

Most Twist products have an optional ground fastening system.

This system will protect your products from the wind, overthrow risks or unwanted movements. It will also help prevent theft and vandalism.



### Find the right anchor for your product

**TYPE O** 

BL.000

99.000.93

For use with the following products

**TYPE M** 

99.000.67

BI.300

For use with the following products

TYPE A	TYPE B	TYPE C	TYPE H
AN.000.75 For use with the following products PH.000, PH.100, PH.200, TE.000*, TE.100*, TE.200*, HA.000, HA.200, HA.050*, HA.250*, MS.000, MS.100, NL.000		99.000.27 For use with the following products MO.200	99.000.34 For use with the following products FO.000 FO.050
TYPE I	TYPE J	ТҮРЕ К	TYPE L

<sup>\*</sup> For the unilluminated planters, anchor must be specified with the order

### **SPÉCIFICATIONS**

Units of measurement are in the International System of Units (SI). Dimensions shown may vary slightly from the actual product sold.

Colors are an approximation of the actual color of the product. The color of a lighting product will appear paler when powered on.

Extreme temperature changes (e.g., a cold night followed by a warm, sunny day) can cause the air inside the product to expand, resulting in short-term shape changes.

Due to the nature of the rotational molding process, the flat surfaces of ODEM products may exhibit slight ripples that do not affect the product's strength or durability.

### **GARANTIE**

Twist is very proud of the quality of its products. Each component is inspected at every manufacturing step. To confirm Twist's total confidence in its products, the company guarantees the first purchaser the rotational casting components for a 5-year period and the other components for a 1-year period against any defect in material or manufacturing. For commercial use, the warranty is 1 year.

The only Twist liability and the only recourse of the purchaser under this guarantee will be the obligation to replace or repair defective components as long as the said defects are not attributable to improper usage or a usage that does not comply with the directives stated in the maintenance manual.

To fully benefit from the service offered in the warranty, you may contact your retailer or Twist. A written permission from Twist is mandatory before returning a defective product for inspection.

Any product found defective within the delays stated in the warranty will be repaired or replaced FOB Quebec City if it is sent to the plant with freight costs paid in advance. Twist reserves the right to credit or replace the product or component with new or upgraded parts.

Under no circumstance would Twist accept any responsibility for indirect or fortuitous damages in relation thereto the sale and usage of its products. This denial will remain valid throughout the warranty and after it expires.

The warranty provisions are in addition to the legal warranties and other rights and remedies pursuant to any legislation, without modifying them or excluding any part whatsoever.

Twist

A collection of ODEM Solutions inc.

### CONTACTS

### **Quebec / Maritime Provinces**

### **Daniel Coulombe**

Sales Representative Business Development

Tel: 1 (418) 849-5565 #241 dcoulombe@odem-inc.com

### **Canada / United States**

### Patrick L. Duval

Sales Representative Business Development

Tel: 1 (418) 849-5565 #263

Cell: (418) 953-9926

pduval@odem-inc.com



A collection of ODEM Solutions inc.

695, rue du Carbone Québec, QC, Canada G2N 2K7

www.twistproduction.com

Tel: 1 (418) 849-5565

in fo@twist production.com