

twist

Creativity & Passion

VOLUME 18

Creativity & Passion

Since 2008, Twist has proudly designed and manufactured products in Quebec that combine functionality, aesthetics, and innovation. Our name reflects our ambition: to bring a unique touch—a twist—to every creation. Year after year, our team transforms bold ideas into everyday products designed to last and leave a lasting impression.

Our work is guided by three core values that shape everything we do. First, collaboration, because we strive to be our clients' best partner by putting our expertise, commitment, and creativity at their service, while encouraging knowledge sharing and active involvement from everyone. Second, pride, because we are passionate about what we do, and that passion is reflected in the care and rigor we bring to our work every day. Finally, respect: through open communication, we foster a positive and rewarding environment for both our team and our clients. This catalog reflects that commitment: products carefully made in Quebec by a passionate team that takes great pride in its craftsmanship and expertise.

Enjoy discovering our world!



Hello greens!

All the plastic materials that we use are completely recyclable. Black coloured products are made of 100% recycled resin. Furthermore, our manufacturing process, rotational molding, does not produce any plastic waste or residues.

Follow the logo 

CHAIRS AND ARMCHAIRS



BISTRO
chair
Page 17



BISTRO
rocking chair
Page 17



BISTRO
armchair
Page 18




BISTRO
stool
Page 18



COZI
adirondack chair
Page 19



OTTO
footrest
Page 19



CURVA
sectional sofa
Page 20



DUA
loveseat
Page 21



JUNO
multifunction stool
Page 21



NINO
tub chair
Page 22



NOHO
lounge chair
Page 22



NOVA
beach chair
Page 23



PICO
chair
Page 23



PLAYA
beach chair
Page 24




RITMIC
rocking chair
Page 24




UNA
armchair
Page 25


LOUNGE CHAIRS



COMPA
low lounge chair
Page 27



COMPA
high lounge chair
Page 27



COMPA
beach chair
Page 28



FLO
lounge chair
Page 28



KURVE
lounge chair
Page 29



KURVE & RISER
lounge chair
Page 29



SIESTA
lounge chair
Page 30



SOLIS
low lounge chair
Page 30



SOLIS
high lounge chair
Page 31



SOLIS
beach chair
Page 31

SIDE TABLES



BAJA
side table
Page 33




BELUGA
side table
Page 33




BISTRO I
side table
Page 34



BISTRO II
side table
Page 34



BLOK
side table
Page 35



BLOK LUX
side table
Page 35



CILO
side table
Page 36



CORA
side table
Page 36



CORA LUX
side table
Page 37



CYCLONE
side table
Page 37



DIABOLO
side table
Page 38



GELO
side table
Page 38



GELO LUX
side table
Page 39




LUDIC
side table
Page 39



OBA
side table
Page 40



SKOAR
side table
Page 40



STAN
side table
Page 41



TAM
side table
Page 41

PLANTERS & GARDENS



BELUGA
planter
Page 43



BELUGA LUX
illuminated planter
Page 43



BELUGA
planter
Page 44



BELUGA LUX
illuminated planter
Page 44



BLOOM
urban garden planter
Page 45



FOLIA
planter
Page 45



FOLIA LUX
illuminated planter
Page 46



FYOR
planter
Page 46



HAUS
planter
Page 47




HAUS LUX
illuminated planter
Page 47



HORTA
urban garden planter
Page 48



MURA 2
wall planter
Page 48



MURA 4
wall planter
Page 49



PALIS
planter
Page 49



TERA
planter
Page 50



TERA LUX
illuminated planter
Page 50



TRIO
wall planter
Page 51



URBA
garden box
Page 51



VASK
urban planter
Page 52

LIGHTS



LUMI LUX
illuminated tree
Page 55



MIA SERATA LUX
illuminated cone
Page 55



MOON LUX
illuminated sphere
Page 56



MOON LUX
hanging illuminated sphere
Page 56



SANTA (LUX)
christmas ornaments
Page 57



STELLA LUX
christmas tree planter
Page 57

OTHERS



ECLIPSE
bench
Page 59



ECLIPSE LUX
illuminated bench
Page 59



TABOLO
bistro table
Page 60



CASA
birdhouse
Page 60-61




TWEET
birdfeeder
Page 61

Anchors P. 62
Replacement parts P. 63

COLORS

All Twist products are available in all the colours below. Delivery time and minimum quantity may differ depending on the colour and/or product chosen.

 NATURAL WHITE 75	 SNOW WHITE 13	 GRANITE 51
 ANTHRACITE 47	 BLACK 42	 SANDSTONE 50
 ELECTRIC BLUE 92	 COBALT 97	 OCEAN 82
 SEA SALT 18	 BEIGE 20	 TURQUOISE 28
 TEAL 29	 CHOCOLATE 30	 RED 36
 CHERRY 39	 YELLOW 66	 GREEN APPLE 72
 FUCHSIA 79	 ORANGE 85	 SAGE GREEN 98

Lighting products are only available in those colours :
White (75), Red (36), Orange (85), Yellow (66) and Apple green (72).

These colours are an approximation of the actual colours of the product. The colour of a lighted product will appear lighter when it is turned on.

POOLS






CITIES & URBAN SPACES









SCHOOL ENVIRONNEMENT





CHAIRS & ARMCHAIRS






BISTRO

CHAIR

Material : LLDPE, Linear low-density polyethylene
 Material thickness (In) : 0.180 (4,5 mm)
 Dimension (In) : 24 x 22 x H28
 Seat height (In) : 17
 Weight : 24 lb / 11 kg
 UV Protection : 20 years
 Meets UL94HB flammability standard



Part number

Options

BI.100 (Standard)
BI.1P0 (Added weight, 10 lb)

ANCHORING SYSTEM (Type K)



See additional information about available colors on page 7 or on the website twistproduction.com



BISTRO

ROCKING CHAIR

Material : LLDPE, Linear low-density polyethylene
 Material thickness (In) : 0.180 (4,5 mm)
 Dimension (In) : 26 x 27 x H29
 Seat height (In) : 16.5
 Weight : 24 lb / 11 kg
 UV Protection : 20 years
 Meets UL94HB flammability standard



Part number

BI.500




See additional information about available colors on page 7 or on the website twistproduction.com



BISTRO

ARMCHAIR

Material : LLDPE, Linear low-density polyethylene
 Material thickness (In) : 0.180 (4,5 mm)
 Dimension (In) : 30 x 30 x H32
 Seat height (In) : 17.5
 Weight : 26 lb / 12 kg
 UV Protection : 20 years
 Meets UL94HB flammability standard



Part number

Options

BI.300 (Standard)
BI.3P0 (Added weight, 10 lb)

ANCHORING SYSTEM (Type M)



See additional information about available colors on page 7 or on the website twistproduction.com



BISTRO

STOOL

Material : LLDPE, Linear low-density polyethylene
 Material thickness (In) : 0.180 (4,5 mm)
 Dimension (In) : 24 x 22 x H40
 Seat height (In) : 28
 Weight : 20 lb / 9 kg
 UV Protection : 20 years
 Meets UL94HB flammability standard



Part number

Options

BI.200 (Standard)
BI.2P0 (Added weight, 10 lb)

ANCHORING SYSTEM (Type K)



See additional information about available colors on page 7 or on the website twistproduction.com



COZI

ADIRONDACK CHAIR

Material : LLDPE, Linear low-density polyethylene
 Material thickness (In) : 0.180 (4,5 mm)
 Dimension (In) : 34 x 36 x H38
 Seat height (In) : 10
 Weight : 38 lb / 17 kg
 UV Protection : 20 years
 Meets UL94HB flammability standard

Arms available in two color options: white or black



Part number

Options

CO.000 (Standard)
CO.0P0 (Added weight, 10 lb)

ANCHORING SYSTEM (COZI)


See additional information about available colors on page 7 or on the website twistproduction.com



OTTO

FOOTREST

Material : LLDPE, Linear low-density polyethylene
 Material thickness (In) : 0.180 (4,5 mm)
 Dimension (In) : 20 x 19.5 x H11.5
 Seat height (In) : N/A
 Weight : 9 lb / 4 kg
 UV Protection : 20 years
 Meets UL94HB flammability standard



Part number

OT.000 (Standard)
OT.0P0 (Added weight, 10 lb)

See additional information about available colors on page 7 or on the website twistproduction.com



CURVA

SECTIONAL SOFA

Material : LLDPE, Linear low-density polyethylene

Material thickness (In) : 0.180 (4,5 mm)

Dimension (In) : 32 x 32 x H30

Seat height (In) : 15

Weight : 31 lb / 14 kg

UV Protection : 20 years


Meets UL94HB flammability standard

***Fasteners to attach modules to each other are included**


MODULE A



MODULE B



MODULE E




MODULE C



MODULE F



MODULE D



Part number

SE.000, SE.0P0 (Added weight, 10 lb) (Module A)

SE.100, SE.1P0 (Added weight, 10 lb) (Module B)

SE.200, SE.2P0 (Added weight, 10 lb) (Module C)

SE.300, SE.3P0 (Added weight, 10 lb) (Module D)







SE.400, SE.4P0 (Added weight, 10 lb) (Module E)

SE.500, SE.5P0 (Added weight, 10 lb) (Module F)



See additional information about available colors on page 7 or on the website twistproduction.com

CONFIGURATION IDEAS






DUA

LOVESEAT

Material : LLDPE, Linear low-density polyethylene
 Material thickness (In) : 0.180 (4,5 mm)
 Dimension (In) : 47 x 24 x H30.5
 Seat height (In) : 16
 Weight : 29 lb / 13 kg
 UV Protection : 20 years
 Meets UL94HB flammability standard



Part number

UA.100 (Standard)
UA.1P0 (Added weight, 10 lb)


See additional information about available colors on page 7 or on the website twistproduction.com



JUNO

MULTIFUNCTION STOOL


Material : LLDPE, Linear low-density polyethylene
 Material thickness (In) : 0.180 (4,5 mm)
 Dimension (In) : 15 x 15 x H15
 Seat height (In) : 10
 Weight : 11 lb / 5 kg
 UV Protection : 20 years
 Meets UL94HB flammability standard



Part number

JU.000

3 POSITIONS




See additional information about available colors on page 7 or on the website twistproduction.com



NINO

TUB CHAIR

Material : LLDPE, Linear low-density polyethylene
 Material thickness (In) : 0.180 (4,5 mm)
 Dimension (In) : 32 x 30 x H30.5
 Seat height (In) : 13.5
 Weight : 18 lb / 8 kg
 UV Protection : 20 years
 Meets UL94HB flammability standard



Part number

NI.100 (Standard)
NI.1P0 (Added weight, 10 lb)

See additional information about available colors on page 7 or on the website twistproduction.com



NOHO

LOUNGE CHAIR

Material : LLDPE, Linear low-density polyethylene
 Material thickness (In) : 0.180 (4,5 mm)
 Dimension (In) : 26 x 28 x H34
 Seat height (In) : 16
 Weight : 22 lb / 10 kg
 UV Protection : 20 years
 Meets UL94HB flammability standard

This product has been designed to be used in the shallow part of a pool as deep as 9"



Part number

LO.000 (Standard)
LO.0P0 (Added weight, 10 lb)

See additional information about available colors on page 7 or on the website twistproduction.com



NOVA

ADIRONDACK CHAIR

Material : LLDPE, Linear low-density polyethylene
 Material thickness (In) : 0.180 (4,5 mm)
 Dimension (In) : 32 x 33 x H34
 Seat height (In) : 14
 Weight : 26 lb / 12 kg
 UV Protection : 20 years
 Meets UL94HB flammability standard



Part number

NV.000




See additional information about available colors on page 7 or on the website twistproduction.com



PICO

CHAIR

Material : LLDPE, Linear low-density polyethylene
 Material thickness (In) : 0.180 (4,5 mm)
 Dimension (In) : 22 x 22 x H30
 Seat height (In) : 17.5
 Weight : 14 lb / 6.5kg
 UV Protection : 20 years
 Meets UL94HB flammability standard



Part number

PC.000 (Standard)
PC.0P0 (Added weight, 10 lb)



See additional information about available colors on page 7 or on the website twistproduction.com



PLAYA

BEACH CHAIR

Material : LLDPE, Linear low-density polyethylene

Material thickness (In) : 0.180 (4,5 mm)

Dimension (In) : 26 x 27 x H22

Seat height (In) : 12

Weight : 15 lb / 7 kg

UV Protection : 20 years

Meets UL94HB flammability standard

This product has been designed to be used in the shallow part of a pool as deep as 9"


Part number

Options

PL.000 (Standard)

PL.0P0 (Added weight, 10 lb)

ANCHORING SYSTEM (Type K)



See additional information about available colors on page 7 or on the website twistproduction.com



RITMIC

ROCKING CHAIR FOR CHILDREN

Material : LLDPE, Linear low-density polyethylene

Material thickness (In) : 0.180 (4,5 mm)


Dimension (In) : 19 x 21 x H21

Seat height (In) : 12

Weight : 11 lb / 5 kg

UV Protection : 20 years

Meets UL94HB flammability standard



Part number

BI.600




See additional information about available colors on page 7 or on the website twistproduction.com



UNA

ARMCHAIR

Material : LLDPE, Linear low-density polyethylene
 Material thickness (In) : 0.180 (4,5 mm)
 Dimension (In) : 30.5 x 29 x H30.5
 Seat height (In) : 16
 Weight : 21 lb / 9.5 kg
 UV Protection : 20 years
 Meets UL94HB flammability standard



Part number

UA.000 (Standard)
UA.0P0 (Added weight, 10 lb)



See additional information about available colors on page 7 or on the website twistproduction.com



LOUNGE CHAIRS





COMPA

LOW LOUNGE CHAIR

Material : LLDPE, Linear low-density polyethylene

Material thickness (In) : 0.180 (4,5 mm)

Dimension (In) : 24 x 64 x H30

Weight : 60 lb / 27 kg

UV Protection : 20 years

Meets UL94HB flammability standard

This product has been designed to be used in the shallow part of a pool as deep as 9"



Part number

CP.000

See additional information about available colors on page 7 or on the website twistproduction.com



COMPA

HIGH LOUNGE CHAIR

Material : LLDPE, Linear low-density polyethylene

Material thickness (In) : 0.180 (4,5 mm)

Dimension (In) : 24 x 62 x H33

Weight : 73 lb / 33 kg

UV Protection : 20 years

Meets UL94HB flammability standard

This product has been designed to be used in the shallow part of a pool as deep as 15"



Part number

CP.100

See additional information about available colors on page 7 or on the website twistproduction.com



COMPA

BEACH CHAIR

Material : LLDPE, Linear low-density polyethylene

Material thickness (In) : 0.180 (4,5 mm)

Dimension (In) : 36 x 24 x H33

Seat height (In) : 10

Weight : 29 lb / 13 kg

UV Protection : 20 years

Meets UL94HB flammability standard

This product has been designed to be used in the shallow part of a pool as deep as 9"

Part number

CP.200



See additional information about available colors on page 7 or on the website twistproduction.com



FLO

LOUNGE CHAIR

Material : LLDPE, Linear low-density polyethylene

Material thickness (In) : 0.180 (4,5 mm)

Dimension (In) : 22 x 60 x H32

Weight : 54 lb / 25 kg

UV Protection : 20 years

Meets UL94HB flammability standard

Ce produit peut être immergé dans une partie peu profonde de la piscine jusqu'à 9"

Part number

CH.000



See additional information about available colors on page 7 or on the website twistproduction.com



KURVE

LOUNGE CHAIR

Material : LLDPE, Linear low-density polyethylene

Material thickness (In) : 0.180 (4,5 mm)

Dimension (In) : 28 x 71 x H30

Weight : 62 lb / 28 kg

UV Protection : 20 years

Meets UL94HB flammability standard

This product has been designed to be used in the shallow part of a pool as deep as 9"



Part number

CU.000

See additional information about available colors on page 7 or on the website twistproduction.com



KURVE & RISER

LOUNGE CHAIR WITH RISER

Material : LLDPE, Linear low-density polyethylene

Material thickness (In) : 0.180 (4,5 mm)

Dimension (In) : 28 x 71 x H36


Weight : 71 lb / 32 kg

UV Protection : 20 years

Meets UL94HB flammability standard

This product has been designed to be used in the shallow part of a pool as deep as 9"

RISER is a booster seat that raises the KURVE lounge chair by 4"



Part number

RI.000

See additional information about available colors on page 7 or on the website twistproduction.com



SIESTA

LOUNGE CHAIR

Material : LLDPE, Linear low-density polyethylene

Material thickness (In) : 0.180 (4,5 mm)

Dimension (In) : 30 x 80 x H28

Weight : 88 lb / 40 kg

UV Protection : 20 years

Meets UL94HB flammability standard

This product has been designed to be used in the shallow part of a pool as deep as 6"



Part number

SI.000

See additional information about available colors on page 7 or on the website twistproduction.com



SOLIS

LOW LOUNGE CHAIR

Material : LLDPE, Linear low-density polyethylene

Material thickness (In) : 0.180 (4,5 mm)

Dimension (In) : 24 x 64 x H29

Weight : 60 lb / 27 kg

UV Protection : 20 years

Meets UL94HB flammability standard

This product has been designed to be used in the shallow part of a pool as deep as 9"



Part number

SO.000

See additional information about available colors on page 7 or on the website twistproduction.com



SOLIS

HIGH LOUNGE CHAIR

Material : LLDPE, Linear low-density polyethylene
 Material thickness (In) : 0.180 (4,5 mm)
 Dimension (In) : 24 x 61 x H32
 Weight : 80 lb / 36 kg
 UV Protection : 20 years
 Meets UL94HB flammability standard

This product has been designed to be used in the shallow part of a pool as deep as 15"



Part number

SO.100

See additional information about available colors on page 7 or on the website twistproduction.com



SOLIS

BEACH CHAIR

Material : LLDPE, Linear low-density polyethylene
 Material thickness (In) : 0.180 (4,5 mm)
 Dimension (In) : 23 x 34 x H33
 Seat height (In) : 6
 Weight : 25 lb / 11 kg
 UV Protection : 20 years
 Meets UL94HB flammability standard

This product has been designed to be used in the shallow part of a pool as deep as 9"



Part number

SO.200

See additional information about available colors on page 7 or on the website twistproduction.com

STOOLS & SIDE TABLES





BAJA

SIDE TABLE

Material : LLDPE, Linear low-density polyethylene
 Material thickness (In) : 0.180 (4,5 mm)
 Dimension (In) : Ø16 x H16
 Weight : 8 lb / 3.5 kg
 UV Protection : 20 years
 Meets UL94HB flammability standard

This product WITH ADDED WEIGHT has been designed to be used in the shallow part of a pool as deep as 9"



Part number

BA.000 (Standard)
BA.0P0 (Added weight, 10 lb)



See additional information about available colors on page 7 or on the website twistproduction.com



BELUGA

STOOL & SIDE TABLE

Material : LLDPE, Linear low-density polyethylene
 Material thickness (In) : 0.180 (4,5 mm)
 Dimension (In) : Ø16 x H16
 Weight : 6.6 lb / 3 kg
 UV Protection : 20 years
 Meets UL94HB flammability standard

This product WITH ADDED WEIGHT has been designed to be used in the shallow part of a pool as deep as 9"



Part number

OB.000 (Standard)
OB.0P0 (Added weight, 10 lb)



See additional information about available colors on page 7 or on the website twistproduction.com



BISTRO I

STOOL & SIDE TABLE

Material : LLDPE, Linear low-density polyethylene
 Material thickness (In) : 0.180 (4,5 mm)
 Dimension (In) : Ø16 x H18
 Weight : 9 lb / 4 kg
 UV Protection : 20 years
 Meets UL94HB flammability standard

This product WITH ADDED WEIGHT has been designed to be used in the shallow part of a pool as deep as 9"



Part number

Options

BI.000 (Standard)
BI.0P0 (Added weight, 10 lb)

ANCHORING SYSTEM (Type K)

See additional information about available colors on page 7 or on the website twistproduction.com



BISTRO II

STOOL & SIDE TABLE

Material : LLDPE, Linear low-density polyethylene
 Material thickness (In) : 0.180 (4,5 mm)
 Dimension (In) : Ø16 x H18
 Weight : 9 lb / 4 kg
 UV Protection : 20 years
 Meets UL94HB flammability standard

This product WITH ADDED WEIGHT has been designed to be used in the shallow part of a pool as deep as 9"



Part number

Options

BI.400 (Standard)
BI.4P0 (Added weight, 10 lb)

ANCHORING SYSTEM (Type K)


See additional information about available colors on page 7 or on the website twistproduction.com



BLOK

SIDE TABLE

Material : LLDPE, Linear low-density polyethylene
 Material thickness (In) : 0.180 (4,5 mm)
 Dimension (In) : 18 x 18 x H18
 Weight : 13 lb / 6 kg
 UV Protection : 20 years
 Meets UL94HB flammability standard



Part number

Options

BL.005 (Standard)
BL.0P5 (Added weight, 10 lb)

ANCHORING SYSTEM (Type O)




See additional information about available colors on page 7 or on the website twistproduction.com



BLOK LUX

ILLUMINATED SIDE TABLE

Material : LLDPE, Linear low-density polyethylene
 Material thickness (In) : 0.180 (4,5 mm)
 Dimension (In) : 18 x 18 x H18
 Weight : 13 lb / 6 kg
 UV Protection : 20 years
 Meets UL94HB flammability standard



Part number

BL.000 (Compact fluorescent light)
BL.009 (DEL 16 colors light)



See additional information about available colors on page 7 or on the website twistproduction.com




CILO

STOOL & SIDE TABLE

Material : LLDPE, Linear low-density polyethylene
 Material thickness (In) : 0.180 (4,5 mm)
 Dimension (In) : Ø13.5 x H18
 Weight : 8 lb / 3.5 kg
 UV Protection : 20 years
 Meets UL94HB flammability standard

This product WITH ADDED WEIGHT has been designed to be used in the shallow part of a pool as deep as 9"



Part number

Options

CI.000 (Standard)
CI.0P0 (Added weight, 10 lb)

ANCHORING SYSTEM (Type K)

See additional information about available colors on page 7 or on the website twistproduction.com



CORA

STOOL & SIDE TABLE

Material : LLDPE, Linear low-density polyethylene
 Material thickness (In) : 0.180 (4,5 mm)
 Dimension (In) : 18 x 17 x H16
 Weight : 9 lb / 4 kg
 UV Protection : 20 years
 Meets UL94HB flammability standard



Part number

Options

CR.005 (Standard)
CR.0P5(Added weight, 10 lb)

ANCHORING SYSTEM (Type K)

See additional information about available colors on page 7 or on the website twistproduction.com



CORA LUX

ILLUMINATED SIDE TABLE

Material : LLDPE, Linear low-density polyethylene
 Material thickness (In) : 0.180 (4,5 mm)
 Dimension (In) : 18 x 17 x H16
 Weight : 10 lb / 4 kg
 UV Protection : 20 years
 Meets UL94HB flammability standard



.75 .36

Part number

CR.000 (Compact fluorescent light)
CR.009 (DEL 16 colors light)

See additional information about available colors on page 7 or on the website
twistproduction.com



CYCLONE

STOOL & SIDE TABLE

Material : LLDPE, Linear low-density polyethylene
 Material thickness (In) : 0.180 (4,5 mm)
 Dimension (In) : Ø16 x H18
 Weight : 5.5 lb / 2 kg
 UV Protection : 20 years
 Meets UL94HB flammability standard

This product WITH ADDED WEIGHT has been designed to be used in the shallow part of a pool as deep as 9"



.13 .42 .47 .50 .51 .36 .85
 .66 .72 .28 .79 .82 .92 .97
 .29 .98 .18 .20 .30 .39

Part number

CY.000 (Standard)
CY.0P0 (Added weight, 10 lb)

See additional information about available colors on page 7 or on the website
twistproduction.com



DIABOLO

STOOL & SIDE TABLE

Material : LLDPE, Linear low-density polyethylene
 Material thickness (In) : 0.180 (4,5 mm)
 Dimension (In) : Ø14 x H18
 Weight : 6.6 lb / 3 kg
 UV Protection : 20 years
 Meets UL94HB flammability standard

This product WITH ADDED WEIGHT has been designed to be used in the shallow part of a pool as deep as 9"



Part number

Options

DI.000 (Standard)
DI.0P0 (Added weight, 10 lb)

ANCHORING SYSTEM (Type K)



See additional information about available colors on page 7 or on the website twistproduction.com



GELO

STOOL & SIDE TABLE

Material : LLDPE, Linear low-density polyethylene
 Material thickness (In) : 0.180 (4,5 mm)
 Dimension (In) : 16 x 16 x H16
 Weight : 8 lb / 3.5 kg
 UV Protection : 20 years
 Meets UL94HB flammability standard



Part number

GS.005 (Standard)
GS.0P5 (Added weight, 10 lb)




See additional information about available colors on page 7 or on the website twistproduction.com



GELO LUX

ILLUMINATED SIDE TABLE

Material : LLDPE, Linear low-density polyethylene
 Material thickness (In) : 0.180 (4,5 mm)
 Dimension (In) : 16 x 16 x H16
 Weight : 8 lb / 3.5 kg
 UV Protection : 20 years
 Meets UL94HB flammability standard



Part number

GS.000 (Compact fluorescent light)
GS.009 (DEL 16 colors light)

See additional information about available colors on page 7 or on the website twistproduction.com



LUDIC

STACKABLE STOOL

Material : LLDPE, Linear low-density polyethylene
 Material thickness (In) : 0.180 (4,5 mm)
 Dimension (In) : Ø16 x H15
 Weight : 6.6 lb / 3 kg
 UV Protection : 20 years
 Meets UL94HB flammability standard



Part number

LD.000

See additional information about available colors on page 7 or on the website twistproduction.com




OBA

STOOL & SIDE TABLE

Material : LLDPE, Linear low-density polyethylene
Material thickness (In) : 0.180 (4,5 mm)
Dimension (In) : 16 x 16 x H16
Weight : 8 lb / 3.5 kg
UV Protection : 20 years
Meets UL94HB flammability standard

This product WITH ADDED WEIGHT has been designed to be used in the shallow part of a pool as deep as 9"



Part number

OB.000 (Standard)
OB.0P0 (Added weight, 10 lb)

See additional information about available colors on page 7 or on the website twistproduction.com



SKOAR

STOOL & SIDE TABLE

Material : LLDPE, Linear low-density polyethylene
Material thickness (In) : 0.180 (4,5 mm)
Dimension (In) : 14 x 14 x H14
Weight : 7 lb / 3 kg
UV Protection : 20 years
Meets UL94HB flammability standard

This product WITH ADDED WEIGHT has been designed to be used in the shallow part of a pool as deep as 9"



Part number

SK.000 (Standard)
SK.0P0 (Added weight, 10 lb)

Options

ANCHORING SYSTEM (Type K)

See additional information about available colors on page 7 or on the website twistproduction.com




STAN

SIDE TABLE

Material : LLDPE, Linear low-density polyethylene
 Material thickness (In) : 0.180 (4,5 mm)
 Dimension (In) : 20 x 20 x H17
 Weight : 11 lb / 5 kg
 UV Protection : 20 years
 Meets UL94HB flammability standard

This product WITH ADDED WEIGHT has been designed to be used in the shallow part of a pool as deep as 9"



Part number

ST.000 (Standard)
ST.0P0 (Added weight, 10 lb)



See additional information about available colors on page 7 or on the website twistproduction.com




TAM

STOOL & SIDE TABLE

Material : LLDPE, Linear low-density polyethylene
 Material thickness (In) : 0.180 (4,5 mm)
 Dimension (In) : Ø14 x H18
 Weight : 6.6 lb / 3 kg
 UV Protection : 20 years
 Meets UL94HB flammability standard

This product WITH ADDED WEIGHT has been designed to be used in the shallow part of a pool as deep as 9"



Part number

Options

TA.000 (Standard)
TA.0P0 (Added weight, 10 lb)

ANCHORING SYSTEM (Type K)



See additional information about available colors on page 7 or on the website twistproduction.com

PLANTERS & GARDENS





BELUGA

PLANTER

Material : LLDPE, Linear low-density polyethylene
 Material thickness (In) : 0.180" (4,5mm)
 UV Protection : 20 years
 Meets UL94HB flammability standard
 Dimension (In) : Ø16 x H32
 Weight : 12 lb / 5.5 kg
 Capacity (L) : 18



Part number

GP.050 (Standard)



See additional information about available colors on page 7 or on the website twistproduction.com



BELUGA LUX

ILLUMINATED PLANTER

Material : LLDPE, Linear low-density polyethylene
 Material thickness (In) : 0.180" (4,5mm)
 UV Protection : 20 years
 Meets UL94HB flammability standard
 Dimension (In) : Ø16 x H32
 Weight : 12 lb / 5.5 kg
 Capacity (L) : 18



Part number

GP.000 (Compact fluorescent light)
GP.009 (DEL 16 colors light)



See additional information about available colors on page 7 or on the website twistproduction.com



BELUGA

XL PLANTER

Material : LLDPE, Linear low-density polyethylene

Material thickness (In) : 0.180" (4,5mm)


UV Protection : 20 years

Meets UL94HB flammability standard

Dimension (In) : Ø40 x H35

Weight : 48 lb / 22 kg

Capacity (L) : 152



Part number

BG.050 (Standard)



See additional information about available colors on page 7 or on the website twistproduction.com



BELUGA LUX

XL LARGE ILLUMINATED PLANTER

Material : LLDPE, Linear low-density polyethylene

Material thickness (In) : 0.180" (4,5mm)


UV Protection : 20 years

Meets UL94HB flammability standard

Dimension (In) : Ø40 x H35

Weight : 48 lb / 22 kg

Capacity (L) : 152



Part number

BG.000 (Compact fluorescent light)

BG.009 (DEL 16 colors light)



See additional information about available colors on page 7 or on the website twistproduction.com



BLOOM

URBAN GARDEN PLANTER

Material : LLDPE, Linear low-density polyethylene

Material thickness (In) : 0.180" (4,5mm)

UV Protection : 20 years

Meets UL94HB flammability standard

WITHOUT LEGS

30 x 15 x H10 po

Weight : 10 lb / 4.5 kg


Capacity (L) : 42

TECK LEGS

30 x 15 x H27 po

Weight : 22 lb / 10 kg

Capacity (L) : 42



Part number

BM.000 (Without legs)

BM.100 (Teck legs)

See additional information about available colors on page 7 or on the website twistproduction.com



FOLIA

PLANTER

Material : LLDPE, Linear low-density polyethylene

Material thickness (In) : 0.180" (4,5mm)

UV Protection : 20 years

Meets UL94HB flammability standard

Dimension (In) : Ø20 x H30

Weight : 12 lb / 5.5 kg

Capacity (L) : 30



Part number

FO.050

Options

ANCHORING SYSTEM (Type H)

See additional information about available colors on page 7 or on the website twistproduction.com



FOLIA LUX

ILLUMINATED PLANTER

Material : LLDPE, Linear low-density polyethylene
 Material thickness (In) : 0.180" (4,5mm)
 UV Protection : 20 years
 Meets UL94HB flammability standard
 Dimension (In) : Ø20 x H30
 Weight : 32 lb / 6 kg
 Capacity (L) : 31



Part number

Options

FO.000 (Compact fluorescent light) ANCHORING SYSTEM (Type H)
FO.009 (DEL 16 colors light)

See additional information about available colors on page 7 or on the website
twistproduction.com




FYOR

PLANTER

Material : LLDPE, Linear low-density polyethylene
 Material thickness (In) : 0.180" (4,5mm)
 UV Protection : 20 years
 Meets UL94HB flammability standard

SMALL	LARGE	X-LARGE
19 x 19 x H19 po	24 x 12 x H35 po	48 x 14 x H32 po
Weight : 15 lb / 7 kg	Weight : 22 lb / 10 kg	Weight : 53 lb / 24 kg
Capacity (L) : 110	Capacity (L) : 160	Capacity (L) : 68.5



Part number

FY.000 (Small)
FY.100 (Large)
FY.200 (X-Large)

See additional information about available colors on page 7 or on the website
twistproduction.com



HAUS

PLANTER

Material : LLDPE, Linear low-density polyethylene

Material thickness (In) : 0.180" (4,5mm)

UV Protection : 20 years

Meets UL94HB flammability standard

SMALL

13 x 13 x H17 po

Weight : 7 lb / 3 kg


Capacity (L) : 27

LARGE

15 x 15 x H32 po

Weight : 14 lb / 6.5 kg

Capacity (L) : 73



Part number

HA.050 (Small)

HA.250 (Large)

Options

ANCHORING SYSTEM (Type A)

*For the horticultural version, the anchoring system must be requested at the time of ordering

See additional information about available colors on page 7 or on the website twistproduction.com



HAUS LUX

ILLUMINATED PLANTER

Material : LLDPE, Linear low-density polyethylene

Material thickness (In) : 0.180" (4,5mm)

UV Protection : 20 years

Meets UL94HB flammability standard

SMALL

13 x 13 x H17 po

Weight : 7 lb / 3 kg


Capacity (L) : 27

LARGE

15 x 15 x H32 po

Weight : 14 lb / 6.5 kg

Capacity (L) : 73



Part number

HA.000 (Compact fluorescent light)

HA.009 (DEL 16 colors light)

HA.200 (Compact fluorescent light)

HA.209 (DEL 16 colors light)

Options

ANCHORING SYSTEM (Type A)


See additional information about available colors on page 7 or on the website twistproduction.com



HORTA

PLANTER

Material : LLDPE, Linear low-density polyethylene
 Material thickness (In) : 0.180" (4,5mm)
 UV Protection : 20 years
 Meets UL94HB flammability standard
 Dimension (In) : 30 x 15 x H24
 Weight : 16 lb / 7 kg
 Capacity (L) : 40



Part number

HO.000




See additional information about available colors on page 7 or on the website twistproduction.com



MURA 2

WALL PLANTER

Material : LLDPE, Linear low-density polyethylene
 Material thickness (In) : 0.180" (4,5mm)
 UV Protection : 20 years
 Meets UL94HB flammability standard
 Dimension (In) : 30 x 15 x H24
 Weight : 16 lb / 4 kg
 Capacity (L) : 36



Part number

W2.000 (Set of 2)




See additional information about available colors on page 7 or on the website twistproduction.com



MURA 4

WALL PLANTER

Material : LLDPE, Linear low-density polyethylene
 Material thickness (In) : 0.180" (4,5mm)
 UV Protection : 20 years
 Meets UL94HB flammability standard
 Dimension (In) : 24 x 4 x H10
 Weight : 13.2 lb / 6 kg
 Capacity (L) : 11



Part number

W4.000 (Set of 4)




See additional information about available colors on page 7 or on the website twistproduction.com



PALIS

PLANTER

Material : LLDPE, Linear low-density polyethylene
 Material thickness (In) : 0.180" (4,5mm)
 UV Protection : 20 years
 Meets UL94HB flammability standard
 SMALL
 Ø12 x H16 po
 Weight : 4 lb / 2 kg
 Capacity (L) : 11.5
 LARGE
 Ø16 x H19.5 po
 Weight : 7 lb / 3 kg
 Capacity (L) : 26



Part number

PA.100 (Small)
PA.200 (Large)
P2.000 (Set of 2)



See additional information about available colors on page 7 or on the website twistproduction.com



TERA

PLANTER

Material : LLDPE, Linear low-density polyethylene

Material thickness (In) : 0.180" (4,5mm)

UV Protection : 20 years

Meets UL94HB flammability standard

SMALL

Ø22 x H20 po

Weight : 11 lb / 5 kg

Capacity (L) : 69

MEDIUM

Ø26 x H24 po

Weight : 13 lb / 6 kg

Capacity (L) : 114

LARGE

Ø20 x H33 po

Weight : 13 lb / 6 kg

Capacity (L) : 94

X-LARGE

Ø40 x H40 po

Weight : 36 lb / 17 kg

Capacity (L) : 216



Part number

TE.000 (Small)

TE.100 (Medium)

TE.200 (Large)

TE.300 (X-Large)

Options

ANCHORING SYSTEM (Type A)

ANCHORING SYSTEM (Type J) (TE.300)

For the horticultural version, the anchoring system must be requested at the time of ordering

See additional information about available colors on page 7 or on the website twistproduction.com



TERA LUX

ILLUMINATED PLANTER

Material : LLDPE, Linear low-density polyethylene

Material thickness (In) : 0.180" (4,5mm)

UV Protection : 20 years

Meets UL94HB flammability standard

SMALL

Ø22 x H20 po

Weight : 11 lb / 5 kg

Capacity (L) : 22

MEDIUM

Ø26 x H24 po

Weight : 13 lb / 6 kg

Capacity (L) : 37

LARGE

Ø20 x H33 po

Weight : 13 lb / 6 kg

Capacity (L) : 26

X-LARGE

Ø40 x H40 po

Weight : 36 lb / 17 kg

Capacity (L) : 61



Part number

Compact fluorescent light

LED 16 colors light

Options

PH.000 (Small)

PH.100 (Medium)

PH.200 (Large)

PH.300 (X-Large)

PH.009 (Small)

PH.109 (Medium)

PH.209 (Large)

PH.309 (X-Large)

ANCHORING SYSTEM (Type A)

ANCHORING SYSTEM (Type J)
(PH.300)


See additional information about available colors on page 7 or on the website twistproduction.com



TRIO

WALL PLANTER

Material : LLDPE, Linear low-density polyethylene
 Material thickness (In) : 0.180" (4,5mm)
 UV Protection : 20 years
 Meets UL94HB flammability standard
 Dimension (In) : 30 x 8 x H33
 Weight : 14 lb / 6.5 kg
 Capacity (L) : 70



Part number

TO.000




See additional information about available colors on page 7 or on the website twistproduction.com



URBA

GARDEN BOX

Material : LLDPE, Linear low-density polyethylene
 Material thickness (In) : 0.180" (4,5mm)
 UV Protection : 20 years
 Meets UL94HB flammability standard
 Dimension (In) : 36 x 36 x H12
 Weight : 24 lb / 11 kg
 Capacity (L) : 180



Part number

UR.000



See additional information about available colors on page 7 or on the website twistproduction.com



VASK

URBAN PLANTER


Material : LLDPE, Linear low-density polyethylene
 Material thickness (In) : 0.180" (4,5mm)
 UV Protection : 20 years
 Meets UL94HB flammability standard

MEDIUM	LARGE
Ø24 x H15 po	Ø36 x H20 po
Weight : 18 lb / 8 kg	Weight : 40 lb / 18 kg
Capacity (L) : 55	Capacity (L) : 150

*Support base made of black HDPE is included

Part number

VA.100 (Medium)
VA.200 (Large)



See additional information about available colors on page 7 or on the website twistproduction.com



LIGHTS





LUMI LUX

ILLUMINATED TREE

Material : LLDPE, Linear low-density polyethylene

Material thickness (In) : 0.180" (4,5mm)

UV Protection : 20 years

Meets UL94HB flammability standard


MEDIUM

LARGE

Ø18 x H48 po

Ø22 x H60 po

Weight : 13 lb / 6 kg Weight : 15 lb / 7 kg



.75

Part number

Compact fluorescent light

DEL 16 colors light

Options

LU.100 (Medium)

LU.200 (Large)

LU.109 (Medium)

LU.209 (Large)

ANCHORING SYSTEM

(Type I) (included)

See additional information about available colors on page 7 or on the website twistproduction.com



MIA SERATA LUX

ILLUMINATED CONE

Material : LLDPE, Linear low-density polyethylene

Material thickness (In) : 0.180" (4,5mm)

UV Protection : 20 years

Meets UL94HB flammability standard


SMALL

MEDIUM

Ø14 x H36 po

Ø24 x H60 po

Weight : 11 lb / 8 kg Weight : 18 lb / 8 kg



.75

Part number

Compact fluorescent light

DEL 16 colors light

Options

MS.000 (Small)

MS.100 (Medium)

MS.009 (Small)

MS.109 (Medium)

ANCHORING SYSTEM

(Type A)

See additional information about available colors on page 7 or on the website twistproduction.com



MOON LUX

ILLUMINATED SPHERE

Material : LLDPE, Linear low-density polyethylene

Material thickness (In) : 0.180" (4,5mm)

UV Protection : 20 years

Meets UL94HB flammability standard

SMALL

MEDIUM

LARGE

Ø16 po

Ø24 po

Ø36 po

Weight : 7 lb / 3 kg

Weight : 11 lb / 5 kg

Weight : 22 lb / 10 kg

Part number

Compact fluorescent light

DEL 16 colors light

Options

MO.000 (Small)

MO.100 (Medium)

MO.200 (Large)


MO.009 (Small)

MO.109 (Medium)

MO.209 (Large)

ANCHORING SYSTEM

(Type B or C)



See additional information about available colors on page 7 or on the website twistproduction.com



MOON LUX

HANGING ILLUMINATED SPHERE

Material : LLDPE, Linear low-density polyethylene

Material thickness (In) : 0.180" (4,5mm)

UV Protection : 20 years

Meets UL94HB flammability standard

SMALL

MEDIUM

LARGE

Ø16 po

Ø24 po

Ø36 po

Weight : 7 lb / 3 kg

Weight : 11 lb / 5 kg

Weight : 22 lb / 10 kg

Part number

Compact fluorescent light

DEL 16 colors light

MO.090 (Small)


MO.190 (Medium)

MO.290 (Large)

MO.099 (Small)

MO.199 (Medium)

MO.290 (Large)



See additional information about available colors on page 7 or on the website twistproduction.com



SANTA LUX

CHRISTMAS ORNAMENTS

Material : LLDPE, Linear low-density polyethylene

Material thickness (In) : 0.180" (4,5mm)

UV Protection : 20 years

Meets UL94HB flammability standard

MINI

Ø12 po

Weight : 3.3 lb / 1.5 kg

SMALL

Ø16 po

Weight : 6.6 lb / 3 kg

MEDIUM


Ø24 po

Weight : 11 lb / 5 kg

LARGE

Ø36 po

Weight : 22 lb / 10 kg



Part number

Compact fluorescent light

DEL 16 colors light

Without light

SA.300 (Mini)

SA.000 (Small)

SA.100 (Medium)

SA.200 (Large)

SA.309 (Mini)

SA.009 (Small)

SA.109 (Medium)

SA.209 (Large)

SA.350 (Mini)

SA.050 (Small)

SA.150 (Medium)

SA.250 (Large)

See additional information about available colors on page 7 or on the website twistproduction.com



STELLA LUX

CHRISTMAS TREE PLANTER

Material : LLDPE, Linear low-density polyethylene

Material thickness (In) : 0.180" (4,5mm)

UV Protection : 20 years

Meets UL94HB flammability standard

Dimension (In) : Ø22 x H20

Weight : 13 lb / 6 kg

Capacity (L) : 20



Part number

Compact fluorescent light

DEL 16 colors light

Options


NL.000

NL.009

**ANCHORING SYSTEM
(Type A)**

See additional information about available colors on page 7 or on the website twistproduction.com

OTHERS






ECLIPSE

BENCH

Material : LLDPE, Linear low-density polyethylene
 Material thickness (In) : 0.180 (4,5 mm)
 Dimension (In) : 48 x 17 x H17
 Weight : 26 lb / 12 kg
 Capacity (L) : N/A
 UV Protection : 20 years
 Meets UL94HB flammability standard



Part number

EC.005 (Standard)
EC.0P5 (Added weight, 10 lb)


See additional information about available colors on page 7 or on the website twistproduction.com



ECLIPSE LUX

ILLUMINATED BENCH

Material : LLDPE, Linear low-density polyethylene
 Material thickness (In) : 0.180 (4,5 mm)
 Dimension (In) : 48 x 17 x H17
 Weight : 26 lb / 12 kg
 Capacity (L) : N/A
 UV Protection : 20 years
 Meets UL94HB flammability standard



Part number

Options

EC.000 (Compact fluorescent light) **ANCHORING SYSTEM (Type L)**
EC.009 (DEL 16 colors light)


See additional information about available colors on page 7 or on the website twistproduction.com



TABOLO

TABLE

Material : LLDPE, Linear low-density polyethylene
 Material thickness (In) : 0.180 (4,5 mm)
 Dimension (In) : Ø24 x H28
 Weight : 15 lb / 7 kg
 Capacity (L) : N/A
 UV Protection : 20 years
 Meets UL94HB flammability standard



Part number

TB.000



See additional information about available colors on page 7 or on the website twistproduction.com



CASA

BIRDHOUSE

Material : LLDPE, Linear low-density polyethylene
 Material thickness (In) : 0.180 (4,5 mm)
 Dimension (In) : 10 x 10 x H11
 Weight : 2.2 lb / 1 kg
 Capacity (L) : N/A
 UV Protection : 20 years
 Meets UL94HB flammability standard



Part number

CS.000



See additional information about available colors on page 7 or on the website twistproduction.com



CASA

BIRDHOUSE

Material : LLDPE, Linear low-density polyethylene
 Material thickness (In) : 0.180 (4,5 mm)
 Dimension (In) : 10 x 9 x H10.5
 Weight : 2.2 lb / 1 kg
 Capacity (L) : N/A
 UV Protection : 20 years
 Meets UL94HB flammability standard



Part number

CS.100



See additional information about available colors on page 7 or on the website twistproduction.com



TWEET

BIRD FEEDER

Material : LLDPE, Linear low-density polyethylene
 Material thickness (In) : 0.180 (4,5 mm)
 Dimension (In) : Ø10 x H14
 Weight : 2.2 lb / 1 kg
 Capacity (L) : 8.8 lb / 4 kg
 UV Protection : 20 years
 Meets UL94HB flammability standard



Part number

TW.000




See additional information about available colors on page 7 or on the website twistproduction.com

ANCHORS

Most Twist products have an optional ground fastening system.

This system will protect your products from the wind, overthrow risks or unwanted movements. It will also help prevent theft and vandalism.



Find the right anchor for your product

TYPE A

AN.000.42

For use with the following products
PH.000, PH.100, PH.200,
TE.000*, TE.100*, TE.200*
HA.000, HA.200,
HA.050*, HA.250*
MS.000, MS.100,
NL.000

TYPE B

99.000.15

For use with the following products
MO.000
MO.100

TYPE C

99.000.27

For use with the following products
MO.200

TYPE H

99.000.34

For use with the following products
FO.000
FO.050

TYPE I

99.000.40

For use with the following products
LU.100
LU.200

TYPE J

99.000.41

For use with the following products
PH.300
TE.300

TYPE K

99.000.45

For use with the following products
BI.000, BI.100, BI.200,
BI.400, CI.000, CR.000,
DI.000, SK.000, ST.000,
TA.000, PL.000

TYPE L

99.000.46

For use with the following products
EC.000

TYPE M

99.000.67

For use with the following products
BI.300

TYPE O


99.000.93

For use with the following products
BL.000

* For the unilluminated planters, anchor must be specified with the order

REPLACEMENT PARTS

In line with our goal to make sustainable products, we offer replacement parts in case a failure or breakage was to occur.



SELF-BALLASTED LIGHT KIT	99.000.01
LED BULB LIGHT KIT	99.000.47
SELF-BALLASTED BULB 13W 120V	99.000.03
LED BULB 3W-120V & REMOTE	99.000.04
LIGHT PROTECTOR	99.000.05
SOCKET 120V WITH 80" CORD	99.000.06
REMOTE	99.000.19
LIGHT KIT FOR MO.000 & .100	99.000.21
LIGHT KIT FOR SUSPENDED MO.090	99.000.22
LIGHT KIT FOR SUSPENDED MO.190	99.000.23
LIGHT KIT FOR SUSPENDED MO.290	99.000.24
ADAPTER ARTIFICIAL TREE FOR STELLA	99.000.26
HARDWARE KIT FOR STELLA	99.000.37
KIT COMPONENTS BLOOM	99.000.38
FIXING KIT FOR CURVA	99.000.50

Anchors and replacement parts are available at [TWISTPRODUCTION.COM/ACCESSOIRES](https://www.twistproduction.com/accessoires)

twist

Twist

A collection of ODEM Solutions inc
695, rue du Carbone
Québec (Québec) G2N 2K7



www.twistproduction.com



@TwistProduction